



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

CoFL

In re Application of:

GIROIR ET AL.

Serial No. : 09/718,187

Patent No.: 7,051,103 B1

Issued: MAY 23, 2006

For: METHOD AND SYSTEM FOR
PROVIDING SNA ACCESS TO
TELNET 3270 AND TELNET 3270
ENHANCED SERVICES OVER WIDE
AREA NETWORKS

ATTY. DOCKET NO.: FR919990103US1

Examiner: PHILIP B. TRAN

Art Unit: 2155

Certificate
AUG 23 2006
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

Applicant respectfully submits the enclosed proposed Certificate of Correction, which corrects clerical errors made by the U.S. Patent and Trademark Office in the Letters Patent No. US 7,051,103 B1, issued May 23, 2006.

Respectfully submitted,

Eustace P. Isidore
Registration No.: 56,104
DILLON & YUDELL LLP
8911 N. Capital of Texas Hwy., Suite 2110
Austin, Texas 78759
512-343-6116
ATTORNEY FOR APPLICANT(S)

CERTIFICATE OF MAILING OR TRANSMISSION [37 CFR 1.8(A)]

I hereby certify that this correspondence is being:

☒ deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

☐ transmitted by facsimile on the date shown below to the U.S. Patent and Trademark Office at (571) 273-8300.

8-17-06

Date

Jennifer Kammerdiener
Jennifer Kammerdiener

AUG 24 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,051,103 B1

APPLICATION NO.: 09/718,187

ISSUE DATE : May 23, 2006

INVENTOR(S) : Giroir et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 3, at column 11, line 51, delete "sewer" and insert --server--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

DILLON & YUDELL LLP
8911 N. Capital of Texas Hwy., Suite 2110
Austin, TX 78759

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

AUG 24 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,051,103 B1

APPLICATION NO.: 09/718,187

ISSUE DATE : May 23, 2006

INVENTOR(S) : Giroir et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Claim 3, at column 11, line 51, delete "sewer" and insert --server--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

DILLON & YUDELL LLP
8911 N. Capital of Texas Hwy., Suite 2110
Austin, TX 78759

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

AUG 24 2006